

VOZNYI, G. F.

VOZNYI, G.F., referent

Significance of the properties of water used in the wet preparation
of coal (from "Glückauf," 23-24, 1955). Koks i khim.no.9:62-64 '57.
(MIRA 10:12)

(Coal preparation)

(Water)

OMEL'CHENKO, A.A., inzh.; VOZNYI, N.I., inzh.

Device used in drilling holes for insect traps on sugar beet fields.
Trakt. i sel'khoz mash. no.4:35-36 Ap '59.

(MIRA 12:5)

(Weevils) (Agricultural machinery)

L 25715-66 EWT(d)/EWP(h)/EWP(1)

ACC NR: AP6004224 (A) SOURCE CODE: UR/0331/65/000/011/0010/0011

AUTHOR: Voznyy, I.

ORG: Vyatles

TITLE: A new drive for rope conveyor 14

SOURCE: Lesnaya promyshlennost', no. 11, 1965, 10-11

TOPIC TAGS: conveying equipment, forestry, electric motor

ABSTRACT: An improved drive for a timber sorting conveyor is described. The new drive was designed and prepared by a repair shop of Vyatles at their Turun'insk forest station. The drive consisted of an electric motor and a gear assembly driving a sheave by pushing its sprocket rims. The sprockets can be coupled with crossbars attached to the rope. The sheave groove was equipped with a rubber band padding to assure a friction contact between the sheave and the rope. The arrangement of the drive and the attachment of crossbars to the rope were illustrated. The position of the rope and deforma-

Card 1/2

UDC: 621.86

L 25715-66

ACC NR: AP6004224

tion of rubber band under light and heavy loads was also illustrated. Old used tires were used for preparing the rubber band while the crossbars were made of rail joint plates. The rope conveyor was 260 m long. Orig. art. has: 4 figures.

SUB CODE: 13,0/ SUBM DATE: None / ORIG REF: 000 / OTH REF: 000

Card 2/2

AVDOS'YEV, B.S.; VOZNYI, N.Ye.

Eliminating Dactylogyrus infection in a fish rearing pond.
Veterinaria 40 no.8:55-56 Ag '63.

(MIRA 17:10)

1. L'vovskaya opyt'naya stantsiya rybovodstva.

VOZNYI, P.S., inzh.

New ocean-going lumber freighter. Sudostroenie 25 no.6:1-5
Je '59. (MIRA 12:9)
(Freighters) (Lumber--Transportation)

VOZNYI, V.

~~XXXXXXXXXXXXXXXXXXXX~~
We turn out high-quality production. Prom.koop.no.11:7 E '56.
(MLRA 9:12)

1. Brigadir stolyarov novoodesskoy arteli "Mebel'shchik,"
Nikolayevskaya oblast'.
(Novaya Odessa District--Furniture industry)

VOZNYI, V.P.; VIZNER, P.F., nauchnyy sotrudnik; MESHKALLO, V.M.

Collector of lumbering waste and noncommercial wood in cleaning
the bed of reservoirs. Trudy VSNIP Lesdrev no.8:14-21 '69.
(MIRA 18:11)

1. Nachal'nik laboratorii mekhanizatsii lesosechnykh rabot
Vostochno-Sibirskogo nauchno-issledovatel'skogo i proyektnogo
instituta lesnoy i derevobrabatyvayushchey promyshlennosti
(for Voznyy).

VOZOBULE, Josef, inz.

How we enjoy the T 3 streetcars. Siln doprava 12 no. 3:
2-4 Mr '64.

1. Dopravni podnik, Praha.

VOZOBULE, Josef, inz.

How we enjoy the T 3 streetcars. Siln doprava 12 no. 3:
2-4 Mr '64.

1. Dopravni podnik, Praha.

2292. MEASUREMENT AND PLOTTING OF GAS PIPING SYSTEM.
 ESCAPE OF GAS. Voskobule, J. (Paliva a Voda, 20
 Nov. 1947, 27, 272-6). The authors give directions
 for measuring and plotting gas piping systems, and
 detecting escape of gas into rooms.

1ST AND 2ND CATEGORIES PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

COMMON VARIANTS INDEX

ASIA-SLA METALLURGICAL LITERATURE CLASSIFICATION

EXON: STATIONARY

EXON: MOVING

EXON: ONE

EXON: TWO

EXON: THREE

EXON: FOUR

EXON: FIVE

EXON: SIX

EXON: SEVEN

EXON: EIGHT

EXON: NINE

EXON: TEN

EXON: ELEVEN

EXON: TWELVE

EXON: THIRTEEN

EXON: FOURTEEN

EXON: FIFTEEN

EXON: SIXTEEN

EXON: SEVENTEEN

EXON: EIGHTEEN

EXON: NINETEEN

EXON: TWENTY

EXON: TWENTY-ONE

EXON: TWENTY-TWO

EXON: TWENTY-THREE

EXON: TWENTY-FOUR

EXON: TWENTY-FIVE

EXON: TWENTY-SIX

EXON: TWENTY-SEVEN

EXON: TWENTY-EIGHT

EXON: TWENTY-NINE

EXON: THIRTY

EXON: THIRTY-ONE

EXON: THIRTY-TWO

EXON: THIRTY-THREE

EXON: THIRTY-FOUR

EXON: THIRTY-FIVE

EXON: THIRTY-SIX

EXON: THIRTY-SEVEN

EXON: THIRTY-EIGHT

EXON: THIRTY-NINE

EXON: FORTY

EXON: FORTY-ONE

EXON: FORTY-TWO

EXON: FORTY-THREE

EXON: FORTY-FOUR

EXON: FORTY-FIVE

EXON: FORTY-SIX

EXON: FORTY-SEVEN

EXON: FORTY-EIGHT

EXON: FORTY-NINE

EXON: FIFTY

EXON: FIFTY-ONE

EXON: FIFTY-TWO

EXON: FIFTY-THREE

EXON: FIFTY-FOUR

EXON: FIFTY-FIVE

EXON: FIFTY-SIX

EXON: FIFTY-SEVEN

EXON: FIFTY-EIGHT

EXON: FIFTY-NINE

EXON: SIXTY

EXON: SIXTY-ONE

EXON: SIXTY-TWO

EXON: SIXTY-THREE

EXON: SIXTY-FOUR

EXON: SIXTY-FIVE

EXON: SIXTY-SIX

EXON: SIXTY-SEVEN

EXON: SIXTY-EIGHT

EXON: SIXTY-NINE

EXON: SEVENTY

EXON: SEVENTY-ONE

EXON: SEVENTY-TWO

EXON: SEVENTY-THREE

EXON: SEVENTY-FOUR

EXON: SEVENTY-FIVE

EXON: SEVENTY-SIX

EXON: SEVENTY-SEVEN

EXON: SEVENTY-EIGHT

EXON: SEVENTY-NINE

EXON: EIGHTY

EXON: EIGHTY-ONE

EXON: EIGHTY-TWO

EXON: EIGHTY-THREE

EXON: EIGHTY-FOUR

EXON: EIGHTY-FIVE

EXON: EIGHTY-SIX

EXON: EIGHTY-SEVEN

EXON: EIGHTY-EIGHT

EXON: EIGHTY-NINE

EXON: NINETY

EXON: NINETY-ONE

EXON: NINETY-TWO

EXON: NINETY-THREE

EXON: NINETY-FOUR

EXON: NINETY-FIVE

EXON: NINETY-SIX

EXON: NINETY-SEVEN

EXON: NINETY-EIGHT

EXON: NINETY-NINE

EXON: HUNDRED

1ST AND 2ND CATEGORIES										PROCESSING AND PROPERTIES INDEX										3RD AND 4TH CATEGORIES									
<p>The use of refractory light-weight brick from frothed grog for lining a periodic kiln to burn fireclay brick at the X October Anniversary plant. P. I. Yuzonin, M. S. Gendel and N. F. Lesnyak. <i>Genekopiy</i> 7, 701-4 (1960). P. R. Stefanovsky</p>																													
<p>ASH-SLA METALLURGICAL LITERATURE CLASSIFICATION</p>										<p>190000 000000</p>										<p>190000 000000</p>									

VOZOV, A.

The state farm for cultivation of ornamental plants. Zhil.-kom.
khoz. 4 no.7:15-17 '54. (MLRA 8:1)

1. Direktor sovkhosa "Yuzhnyye kul'tury."
(Adler--Plants, Ornamental)

VOZOV, N., aspirant

In Penza Province. Zashch. rast. ot vred. i bol. 10 no.6:4-5 '65.
(MIRA 18:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut zashchity rasteniy.

VOZOVAYA, N. A.

VOZOVAYA, N. A.: "The paradoxical course of childbirth with severe
extragenital infections." Min Health RSFSR. Bashkir State
Medical Inst imeni XVth Anniversary VLESM. Ufa, 1956.
(Dissertation for the Degree of Candidate in Medical Sciences).

SO: Knizhnaya letonis', No 23, 1956

MADANOV, P.V., prof.; VOYKIN, L.M., assistant; VOZOVIK, I.S., inzh.

Plow attachment for the placement of mineral fertilizers at the
time of plowing. Zemledelie 7 no.12:80-81 D '59.
(MIRA 13:3)

1. Kazanskiy gosudarstvennyy universitet imeni V.I.Ul'yanova-
Lenina (for Madanov, Voykin). 2. Kazanskaya gosudarstvennaya sel'-
skokhozyaystvennaya opytная stantsiya (for Vozovik).
(Plows--Attachments) (Fertilizer spreaders)

VOZOVIK, Yu.I.

Floating landslides in the eastern part of the Fergana Valley.

Vest. Mosk. un. Ser. 5: Geog. 19 no.2:80-81 Mr-Ap '64.
(MIRA 17:4)

111 AND 112 REGISTERS

PROCESSES AND PROPERTIES MORE

113 AND 114 REGISTERS

B-I-2

Light fractions from the tar of Kanchira shale. Z. J. VONCHENKIN (Chim. Tverd. Topl., 1935, 6, 350—357).—The shale was formed from algae as well as from higher plants. O-S and S compounds other than thiophene must first be removed in preparing medicinal compounds. Ch. Ans. (c)

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

FROM STWISLAW

FROM BOMBY

115 AND 116 REGISTERS

117 AND 118 REGISTERS

119 AND 120 REGISTERS

121 AND 122 REGISTERS

123 AND 124 REGISTERS

125 AND 126 REGISTERS

127 AND 128 REGISTERS

129 AND 130 REGISTERS

131 AND 132 REGISTERS

133 AND 134 REGISTERS

135 AND 136 REGISTERS

137 AND 138 REGISTERS

139 AND 140 REGISTERS

141 AND 142 REGISTERS

143 AND 144 REGISTERS

145 AND 146 REGISTERS

147 AND 148 REGISTERS

149 AND 150 REGISTERS

151 AND 152 REGISTERS

153 AND 154 REGISTERS

155 AND 156 REGISTERS

157 AND 158 REGISTERS

159 AND 160 REGISTERS

161 AND 162 REGISTERS

163 AND 164 REGISTERS

165 AND 166 REGISTERS

167 AND 168 REGISTERS

169 AND 170 REGISTERS

171 AND 172 REGISTERS

173 AND 174 REGISTERS

175 AND 176 REGISTERS

177 AND 178 REGISTERS

179 AND 180 REGISTERS

181 AND 182 REGISTERS

183 AND 184 REGISTERS

185 AND 186 REGISTERS

187 AND 188 REGISTERS

189 AND 190 REGISTERS

191 AND 192 REGISTERS

193 AND 194 REGISTERS

195 AND 196 REGISTERS

197 AND 198 REGISTERS

199 AND 200 REGISTERS

201 AND 202 REGISTERS

203 AND 204 REGISTERS

205 AND 206 REGISTERS

207 AND 208 REGISTERS

209 AND 210 REGISTERS

211 AND 212 REGISTERS

213 AND 214 REGISTERS

215 AND 216 REGISTERS

217 AND 218 REGISTERS

219 AND 220 REGISTERS

221 AND 222 REGISTERS

223 AND 224 REGISTERS

225 AND 226 REGISTERS

227 AND 228 REGISTERS

229 AND 230 REGISTERS

231 AND 232 REGISTERS

233 AND 234 REGISTERS

235 AND 236 REGISTERS

237 AND 238 REGISTERS

239 AND 240 REGISTERS

241 AND 242 REGISTERS

243 AND 244 REGISTERS

245 AND 246 REGISTERS

247 AND 248 REGISTERS

249 AND 250 REGISTERS

251 AND 252 REGISTERS

253 AND 254 REGISTERS

255 AND 256 REGISTERS

257 AND 258 REGISTERS

259 AND 260 REGISTERS

261 AND 262 REGISTERS

263 AND 264 REGISTERS

265 AND 266 REGISTERS

267 AND 268 REGISTERS

269 AND 270 REGISTERS

271 AND 272 REGISTERS

273 AND 274 REGISTERS

275 AND 276 REGISTERS

277 AND 278 REGISTERS

279 AND 280 REGISTERS

281 AND 282 REGISTERS

283 AND 284 REGISTERS

285 AND 286 REGISTERS

287 AND 288 REGISTERS

289 AND 290 REGISTERS

291 AND 292 REGISTERS

293 AND 294 REGISTERS

295 AND 296 REGISTERS

297 AND 298 REGISTERS

299 AND 300 REGISTERS

301 AND 302 REGISTERS

303 AND 304 REGISTERS

305 AND 306 REGISTERS

307 AND 308 REGISTERS

309 AND 310 REGISTERS

311 AND 312 REGISTERS

313 AND 314 REGISTERS

315 AND 316 REGISTERS

317 AND 318 REGISTERS

319 AND 320 REGISTERS

321 AND 322 REGISTERS

323 AND 324 REGISTERS

325 AND 326 REGISTERS

327 AND 328 REGISTERS

329 AND 330 REGISTERS

331 AND 332 REGISTERS

333 AND 334 REGISTERS

335 AND 336 REGISTERS

337 AND 338 REGISTERS

339 AND 340 REGISTERS

341 AND 342 REGISTERS

343 AND 344 REGISTERS

345 AND 346 REGISTERS

347 AND 348 REGISTERS

349 AND 350 REGISTERS

351 AND 352 REGISTERS

353 AND 354 REGISTERS

355 AND 356 REGISTERS

357 AND 358 REGISTERS

359 AND 360 REGISTERS

361 AND 362 REGISTERS

363 AND 364 REGISTERS

365 AND 366 REGISTERS

367 AND 368 REGISTERS

369 AND 370 REGISTERS

371 AND 372 REGISTERS

373 AND 374 REGISTERS

375 AND 376 REGISTERS

377 AND 378 REGISTERS

379 AND 380 REGISTERS

381 AND 382 REGISTERS

383 AND 384 REGISTERS

385 AND 386 REGISTERS

387 AND 388 REGISTERS

389 AND 390 REGISTERS

391 AND 392 REGISTERS

393 AND 394 REGISTERS

395 AND 396 REGISTERS

397 AND 398 REGISTERS

399 AND 400 REGISTERS

401 AND 402 REGISTERS

403 AND 404 REGISTERS

405 AND 406 REGISTERS

407 AND 408 REGISTERS

409 AND 410 REGISTERS

411 AND 412 REGISTERS

413 AND 414 REGISTERS

415 AND 416 REGISTERS

417 AND 418 REGISTERS

419 AND 420 REGISTERS

421 AND 422 REGISTERS

423 AND 424 REGISTERS

425 AND 426 REGISTERS

427 AND 428 REGISTERS

429 AND 430 REGISTERS

431 AND 432 REGISTERS

433 AND 434 REGISTERS

435 AND 436 REGISTERS

437 AND 438 REGISTERS

439 AND 440 REGISTERS

441 AND 442 REGISTERS

443 AND 444 REGISTERS

445 AND 446 REGISTERS

447 AND 448 REGISTERS

449 AND 450 REGISTERS

451 AND 452 REGISTERS

453 AND 454 REGISTERS

455 AND 456 REGISTERS

457 AND 458 REGISTERS

459 AND 460 REGISTERS

461 AND 462 REGISTERS

463 AND 464 REGISTERS

465 AND 466 REGISTERS

467 AND 468 REGISTERS

469 AND 470 REGISTERS

471 AND 472 REGISTERS

473 AND 474 REGISTERS

475 AND 476 REGISTERS

477 AND 478 REGISTERS

479 AND 480 REGISTERS

481 AND 482 REGISTERS

483 AND 484 REGISTERS

485 AND 486 REGISTERS

487 AND 488 REGISTERS

489 AND 490 REGISTERS

491 AND 492 REGISTERS

493 AND 494 REGISTERS

495 AND 496 REGISTERS

497 AND 498 REGISTERS

499 AND 500 REGISTERS

501 AND 502 REGISTERS

503 AND 504 REGISTERS

505 AND 506 REGISTERS

507 AND 508 REGISTERS

509 AND 510 REGISTERS

511 AND 512 REGISTERS

513 AND 514 REGISTERS

515 AND 516 REGISTERS

517 AND 518 REGISTERS

519 AND 520 REGISTERS

521 AND 522 REGISTERS

523 AND 524 REGISTERS

525 AND 526 REGISTERS

527 AND 528 REGISTERS

529 AND 530 REGISTERS

531 AND 532 REGISTERS

533 AND 534 REGISTERS

535 AND 536 REGISTERS

537 AND 538 REGISTERS

539 AND 540 REGISTERS

541 AND 542 REGISTERS

543 AND 544 REGISTERS

545 AND 546 REGISTERS

547 AND 548 REGISTERS

549 AND 550 REGISTERS

551 AND 552 REGISTERS

553 AND 554 REGISTERS

555 AND 556 REGISTERS

557 AND 558 REGISTERS

559 AND 560 REGISTERS

561 AND 562 REGISTERS

563 AND 564 REGISTERS

565 AND 566 REGISTERS

567 AND 568 REGISTERS

569 AND 570 REGISTERS

571 AND 572 REGISTERS

573 AND 574 REGISTERS

575 AND 576 REGISTERS

577 AND 578 REGISTERS

579 AND 580 REGISTERS

581 AND 582 REGISTERS

583 AND 584 REGISTERS

585 AND 586 REGISTERS

587 AND 588 REGISTERS

589 AND 590 REGISTERS

591 AND 592 REGISTERS

593 AND 594 REGISTERS

595 AND 596 REGISTERS

597 AND 598 REGISTERS

599 AND 600 REGISTERS

601 AND 602 REGISTERS

603 AND 6

VOZVISHENSKIY, G. A.

USSR/Chemistry - Anodes, Corrosion Apr 49
Chemistry - Corrosion, Measurement of

"Anode Solution of Corroded Metals," G. A. Vozvi-
shenskiy, G. P. Dezider yev, V. A. Dmitriyev, Chem
Inst Imeni A. Ye. Arbuzov, Kazan Affiliate, Acad
Sci USSR, 3 pp.

"Dokl Ak Nauk SSSR" Vol LXV, No 5

Authors previously advanced a theory representing
process of anode solution as a process of electro-
decrystallization. According to this, surface of
a metal which has undergone anode dissolving must
have a "corroded texture" - a regular, although
invisible, corrosion. Checks this theory experi-

39/49T16

USSR/Chemistry (Contd)

Apr 49

mentally for copper, brass, and duraluminum by
measuring luster, considered as a function of
surface texture. Submitted by Acad A. Ye. Arbuzov
12 Feb 49.

39/49T16

VOZVYSHAYEV, L.

New food for blast furnaces. Znan. sila 36 no.12:6 D '61.
(Coke) (MIRA 15:1)

AUTHOR: Vozvyshayev, L.

SOV/4-59-1-5/42

TITLE: Give Way to Direct Current! (Dorogu postoyannomu toku)

PERIODICAL: Znaniye - Sila, 1959, Nr 1, pp 6 - 8 (USSR)

ABSTRACT: As the demand for electricity is increasing, and the current supplied by the Moscow plants of small capacity is insufficient and expensive, electric energy of 400,000 volt is lately being supplied from the Volzhskaya GES imeni Lenina (Volga GES). So far it has been impossible to transmit current of a similar voltage over such a long distance. Because of the loss in current sustained in long distance transmission, the line Kuybyshev - Moscow had to be constructed in a new manner. Instead of 3 wires, which are usually used for the transmission of a three-phase alternating current, 9 wires were taken. Only the application of numerous technical improvements cut down the loss of current. But transmission over a distance exceeding 1,000 to 2,000 km is unprofitable. It is cheaper to build power plants on the spot, and to supply it with fuel. The author mentions the Russian engineer M.O. Dolivo-Dobrovolskiy who foresaw the possibility of transmitting direct current of superhigh voltage over

Card 1/3

Give Way to Direct Current!

SOV/4-59-1-5/42

very long distances. At the outskirts of Moscow there is an electric sub-station from where a voltage of 200,000 volt is transmitted in direct current to Moscow. The plant contains the laboratories of the Moscow Branch of the Nauchno-issledovatel'skiy institut postoyannogo toka (Scientific-Research Institute of Direct Current). A line of direct current connects Moscow with Kashira - a distance somewhat over 200 km. During the 8 years of exploitation of the line, the advantages of transmitting direct current over long distances became evident. As only one or two wires are required for direct current, the savings in expensive wire are considerable, and if the high-voltage cable can be placed under ground, even the masts, requiring enormous quantities of metal, become superfluous. There are other advantages when transmitting direct current. The author then explains the process of transforming a/c into d/c and vice versa. In this connection, the author states that until recently it was considered that the voltage in the valve is limited to 10 kilovolt. At present, tests are being made with valves designed for a load exceeding that of the theoreticians by about 10 times.

Card 2/3

Give Way to Direct Current!

SOV/4-59-1-5/42

The tests are being made at the Vsesoyuznyy elektrotekhnicheskii institut imeni V.I. Lenina (All-Union Electro-Technical Institute imeni V.I. Lenin). In conclusion, the author summarizes the advantages of connecting individual power engineering systems by lines of direct current. The first transmitting line of d/c to operate, will be the one connecting the Stalingrad GES with the Donbass, a distance of 470 km. The first line with a voltage of 800,000 volt will start working in 1961. There are 3 drawings.

Card 3/3

VOZVYSHAYEV, L.

On the longest voyage. Znan.sila 36 no.3:5-7 Mr '61. (MIRA 14:3)
(Space flight to Venus)

VOZVYSHAYEV, I.

Revisions brought about in a single decade. Znan.sila 35 no.10:
22 0'60.

(MIRA 13:11)

(Automatic control) (Tunguska Valley--Meteorites)

(Tunguska Valley--Comets)

VOZVYSHAYEV, L.

Make way for direct current transmission. Znan.sila 34 no.1:
6-8 Ja '59. (MIRA 12:2)
(Electric power distribution--Direct current)

VOZVYSHAYEV, L.

Roads over roads. Znan.sila 35 no.7:11-12 J1 '60.

(MIRA 13:7)

(Railroads, Suspended)

VOZVYSHAYEV, L.

Marked sand. Znan. sila 33 no.8:1-2 Ag'58.
(Hydrography)

(MIRA 11:11)

AUTHOR: Vozvyshayev, L. SOV-A-56-3-3/25
TITLE: Marked Sands (Mechenyeye peski)
PERIODICAL: Znaniye-sila, 1958, Nr 8, pp 1-2 (USSR)
ABSTRACT: Soviet scientists are coloring sands at the bottom of seas and lakes in order to fix the direction and speed moving sand and to predict the formation of sandbanks. This method can be used not only in hydrotechnical construction, but also in road building and canal construction. The Laboratoriya karbotsiklicheskikh soyedineniy Instituta organicheskoy khimii imeni N.D. Zelinskogo Akademii nauk SSSR (Carbocyclic Compound Laboratory of the Institute of Organic Chemistry imeni N.D. Zelinskiy of the Academy of Sciences) is carrying out investigations on the movement of sands.
There is one drawing.
1. Colored sand--Applications 2. Sand--Motion

Card 1/1

VOZVISHAYEVA, L.I., starshiy nauchnyy sotrudnik

Economic efficiency of the introduction of shuttleless looms in the textile industry. Tekst.prom. 25 no.2:48-52 P '85.

(MIRA 18:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut legkogo i tekstil'nogo mashinostroyeniya.

VOZVYSHAYEVA, L.V.; BLYUMENFEL'D, L.A.

Effect of ionized side groups on magnetic properties of
ribonucleic acid. Biofizika 5 no. 5:579-581 '60. (MIRA 13:10)

1. Institut khimicheskoy fiziki AN SSSR, Moskva.
(NUCLEIC ACIDS---MAGNETIC PROPERTIES)
(RADIATION---PHYSIOLOGICAL EFFECT)

VOZYAKOV, V.

VOZYAEV, V.; SHAROV, N.

Fire prevention in German Democratic Republic. Posh.delo 3
no.5:29-30 My '57. (MIRA 10:7)
(Germany, East--Fire prevention)

VOZYAKOV, V.

SABUROV, A.; TARASOV-AGALAKOV, N.; VOZYAKOV, V.; ZEMSKIY, M.; TROITSKIY, I.;
RUBIN, A.; OBUKHOV, F.; POLOSUKHIN, M.; REMIZOV, A.; SHALIN, V.;
MIKHAYLOV, F.

Konstantin Moiseevich IAichkov; obituary. Pozh.delo 3 No.6:11
Je. '57. (MLRA 10:7)

(IAichkov, Konstantin Moiseevich, 1873-1957)

VOZYAKOV, V.A.

Results and outlooks. Pozh. delo 5 no.10:12-13 0 '59.
(MIRA 13:2)

1. Glavnyy sud'ya XII Vsesoyuznykh sorevnovaniy po pozharно-
prikladnomu sportu.
(Firemen)
(Physical education and training)

VOZYKA, T.A.

Automatic submerged arc welding of large steel castings. Proisv.
opyt v obl. svar. no.1:72-76 '56. (MLRA 9:10)

(Steel castings--Welding) (Electric welding)

FERBERG, Aron Solomonovich; VOZYAKOV, A., otv. r d.

[Economic work of the Construction Bank; bank and the
economics of construction] Ekonomicheskaya rabota Stroi-
banka; bank i ekonomika stroitel'stva, Moskva, Izd-vo
"Finansy," 1964. 175 p. (MIRA 17:6)

DUSHEN'KINA, Svetlana Viktorovna; SYSOYEV, Boris Ivanovich; CHISTYAKOV, Maksim Tikhonovich; VOZYAKOV, A., otv. red.; NADEZHDA, A., red. izd-va; LEBEDEV, A., tekhn. red.

[Financing of planning and engineering work] Finansirovanie proektnykh i izyskatel'skikh rabot. Moskva, Gosfinizdat, 1961. 84 p.
(MIRA 14:10)

(Construction industry—Finance)

VOZYAKOV, V.

Prevention of fires caused by petroleum lamps. Pozh.delo 3 ,
no.2:5-6 P '57. (MIRA 10:4
(Fire prevention) (Lamps)

Vozjakovskaya, Iu. M.

USSR /Microbiology. Soil Microbiology.

F-3

Abs Jour: Referat. Zh.-Biol., No. 9, 1957, 35612

Author : Khudiakov, Ia., Vozjakovskaya, Iu. M.

Title : The Microflora of Wheat Roots and Several of
its Properties

Orig Pub: Mikrobiologiya, 1956, 25, No. 2, 184-190

Abstract: A study was made of the specific composition of the microflora living on the roots of winter wheat washed out of the soil in the phase of milling ripeness or with ears. The microflora of the wheat roots was represented by 41 species, and contained representatives of the genera, Pseudomonas, Bacterium, Mycobacterium, Chromobacterium; 25 species of micro-organisms live not only on the roots but also on the above-ground parts of the plant, i.e., they are

Card 1/2

USSR /Microbiology. Soil Microbiology.

F-3

Abs Jour: Referat. Zh.-Biol., No. 9, 1957, 35612

epiphytic microorganisms. Several strains of 10 species of root microflora can assimilate nitrogen from the atmosphere; a series of strains of 14 species can utilize organic compounds of phosphorus; 4 species are capable of creating factors of growth which speed up the growth of the roots.

Card 2/2

MAIUREVICH, S.; VOZ'YANSKIY, N.; FREDULOV, A.

Using circular strips for retreading tires. Avt. transp. 36 no.2:
28 F '68. (MIRA 11:2)

(Tires, Rubber--Repairing)

VOZYKOV, V. A.

Eleventh All-Union competition in sports related to the training
of firemen; a great event in the sports life of fire departments.
Pozh.delo 3 no.11:23 N '57. (MIRA 10:11)
(Sports) (Fire departments)

RAVIKOVICH, I.M.; BRAGIN, Yu.S.; KHUDOROZHKO, I.P.; MAYZEL', G.M.; STARIKOV, M.A.; GROSHEV, M.Ya.; BUTIVCHENKO, V.N.; Prinizali uchastiye: ANTOSHECHKIN, M.P.; MARKOV, V.N.; CHEKH, N.A.; OBUKHOVA, E.N.; VOZZHAYEV, A.S.

Production of ferrovanadium sinter at the Lebyazh'ye sintering plant. Stal' 25 no.6:484-486 Je '65. (MIRA 18:6)

1. Nizhne-Tagil'skiy metallurgicheskiy kombinat.

VOZZHAYEVA, A. P.

Vozzhayeva, A. P., Avakov, A. L., and Yevsyukov, A. M. V. - "On the problem of
Widal's analytic reaction", Trudy Astrakh. gos. med. in-ta, Vol. IX, 1949, p. 134-
36.

SO: U-3042, 11 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 8, 1949).

ACC NR: AP6031636

(A)

SOURCE CODE: UR/0297/66/011/009/0840/0843

AUTHOR: Ferdinand, Ya. M.; Redechkina, Z. P.; Vozzhayeva, A. P.; Vetlugina, K. F.; Vevyur, N. A.; Zhigul'skaya, I. F. Borodzdenko, T. F.

ORG: Rostov-na Donu Scientific Research Institute of Epidemiology, Microbiology, and Hygiene (Rostovskiy-na-Donu nauchno-issledovatel'skiy institut epidemiologii, microbiologii i gigiyeny); Department of Infectious Diseases, Astrakhan Medical Institute (kafedra infektsionnykh bolezney Astrakhanskogo meditsinskogo instituta); Department of Infectious Diseases, Saratov Medical Institute (kafedra infektsionnykh bolezney Saratovskogo meditsinskogo instituta); Hospital No. 10, Volgograd (bol'nitsa No. 10)

TITLE: Antibiotic therapy and chronic typhoid fever carriers

SOURCE: Antibiotiki, v. 11, no. 9, 1966, 840-843

TOPIC TAGS: typhoid fever, typhoid carrier, antibiotic ~~therapy~~, infective disease, *drug treatment*

ABSTRACT: Antibiotic treatment does not eliminate all typhoid carriers, but the treatment is justified since the highest percent of carriers was found among untreated patients. Administration of antibiotics until the third week of convalescence sharply reduces the number of carriers. [WA-50; CBE No. 12]

SUB CODE: 06/ SUBM DATE: 05Nov65/ ORIG REF: 008/ OTH REF: 001/
Card 1/1 UDC: 616.927-085.779.931-07:616-008.97 (Bac. typhi)

VOZZHENIKOV, G.S.

Use of artificial radioactivity in prospecting for manganese and
copper ores. Trudy Sver.gor.inst. no.34:152-164 '59.
(MIRA 13:5)

(Manganese ores--Analysis)

(Copper ores--Analysis)

(Prospecting--Geophysical methods)

VOZZHENIKOV, G. S.

Exposure to radiation, interval and activation time logging. Izv.
vys. ucheb. zav.; geol. 1 razv. 3 no.8:86-91 Ag '60. (MIRA 13:10)

1. Sverdlovskiy gornyy institut.
(Logging (Geology))

S/169/61/000/012/034/089
D228/D305

AUTHOR: Vozzhenikov, G. S.

TITLE: The question of using artificial radioactivity
when prospecting for manganese and copper ores

PERIODICAL: Referativnyy zhurnal, Geofizika, no. 12, 1961,
42, abstract 12A406 (Tr. Sverdl. gorn. in-ta,
1959, no. 34, 152-164)

TEXT: The results of theoretical and experimental research,
undertaken to study the possibilities of the method of induced
activity for the quantitative determinations of Mn and Cu
in ores, are stated. The calculations and modeling showed that
5 - 10 hours after the end of the irradiation, the copper iso-
tope Cu^{64} , which is formed during the activation of ore by a
neutron source with an activity of 3 curies for 10 - 20 hr.,
gave considerable activity (13 imp./min. per 1% Cu for the

Card 1/2

The question of using...

S/169/61/000/012/034/089
D228/D305

BC-4 (VS-4) counter), exceeding by several tens of times the summary activity caused by the activation of separate isotopes. The intensity of the induced activity is directly proportional to the percentage content of copper in the ore, which creates the possibility of determining the copper content of ore during borehole logging with a relative error of about 20%. Artificial radioactivity of high intensity (25 imp./min. per 1% Mn for the MC-4 (MS-4) counter), caused almost entirely by the artificially radioactive isotope Mn^{56} 30 min. after the end of irradiation, is similarly induced on the activation of manganese ores for 4 - 5 hr. by means of a neutron source with an activity of ~ 0.5 curies. The relative precision of determining Mn in ore bodies perforated by corelessly-drilled holes amounts to 3 - 10%. The determinational error may be decreased by increasing the source activity and exposition of the measurements. [Abstracter's note: Complete translation.]

Card 2/2

VOZZHENIKOV, Gennadiy Sergeevich

[Activation analysis in mining geophysics] Aktivatsionnyi analiz v rudnoi geofizike. Moskva, Nedra, 1965. 69 p. (MIRA 18:12)

VOZZHENIKOV, G. S.

Cand Tech Sci - (diss) "Besker determination of copper in wells."
Sverdlovsk, 1961. 22 pp with diagrams; (Ministry of Higher and
Secondary Specialist Education RSFSR, Leningrad Orders of Lenin
and Labor Red Banner Mining Inst imeni G. V. Plekhanov); 150
copies; price not given; list of author's works at end of text;
(KL, 7-61 sup, 233)

L 0923-65 EPF(c) EPA(s) -2 EWP(j) /EWT(a) EWP(b) EWP(t) Pc-4/Pr-4/Pt-10/
Pad IJP(c)/RPL RM/JD/HM

ACCESSION NR: AP5004602

S/0020/65/160/002/0405/0408

AUTHOR: Terent'yev, A. P. (Corresponding member AN SSSR); Vozzhennikov, V. M.;
Kolninov, G. V.; Zvonkov, Z. V.; Rukhadze, Ye. G.; Glushkova, V. P.; Berezkin,
V. V.

TITLE: Semiconducting and optical properties of copper, nickel, zinc, and cadmium
dithiocarbamates

SOURCE: AN SSSR. Doklady, v. 160, no. 2, 1965, 405-408

TOPIC TAGS: copper dithiocarbamate, nickel dithiocarbamate, zinc dithiocarbamate,
cadmium dithiocarbamate, dithiocarbamate semiconducting property, dithiocarbamate
optical property, organic semiconductor, chelate electrical property, polychelate con-
ductivity, activation energy

ABSTRACT: This paper is part of a study of a series of chelates and polychelates aimed
at determining the dependence of their electrical properties on their atomic structure and
nature of their chemical bonds: this in turn is vital in the synthesis of new

Card 1/2

L 29933-65

ACCESSION NR: AP5004602

several types of electronic transitions were established, and the thermal activation energy E_{therm} was compared with the optical activation energy E_{opt} . It was concluded that the semiconducting parameters are determined primarily by the nature of the metal - ligand chemical bond, and not by the crystal structure or superstructure. Orig. art. has: 3 figures, 1 table and 2 formulas.

ASSOCIATION: Fiziko-khimicheskiy institut im. L. Ya. Karpova (Physicochemical institute); Moskovskiy gosudarstvennyy universitet im. M.V. Lomonosova (Moscow state university)

SUBMITTED: 04Aug64

ENCL: 00

SUB CODE: OC, EM

NO REF SOV: 004

OTHER: 000

Card 2/2

TERENT'YEV, A.P.; RODE, V.V.; RUKHADZE, Ye.G.; VOZZHENNIKOV, V.M.;
BADZHADZE, L.I.

Electric conductivity of chelate polymers. Dokl. AN SSSR 140
no.5:1093-1095 0 '61. (MIRA 15:2)

1. Moskovskiy gosudarstvennyy universitet im. M.V.Lomonosova
i Fiziko-khimicheskiy institut im. L.Ya. Karpova.
2. Chlen-korrespondent AN SSSR (for Terent'yev).
(Chelates—Electric properties)

15.8540

29120
S/020/61/140/005/016/022
B103/B110

AUTHORS: Terent'yev, A. P., Corresponding Member AS USSR, Rode, V. V.,
Rukhadze, Ye. G., Vozzhennikov, V. M., Zvonkova, Z. V.,
and Badzhadze, L. I.

TITLE: Electrical conductivity of chelate polymers

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 140, no. 5, 1961, 1093-1095

TEXT: The authors measured the electrical conductivity σ and the activation energy E of several chelate polymers to determine the dependence between their semiconductor properties and their atomic structure. These polymers were mostly synthesized by interaction of equimolecular aqueous solutions of metal acetates and alcoholic solutions of the corresponding tetrafunctional organic compounds. The substances obtained were amorphous, insoluble, and infusible. Their decomposition temperatures were above 250-350°C. More data will be published in the coming issues of the periodical "Vysokomolekulyarnyye soyedineniya". For measuring the electrical conductivity samples in tablet form were used: diameter 5-7 mm, X

Card 1/6

2

29120



S/020/61/140/005/016/022

B103/B110

Electrical conductivity of ...

σ = up to 10^{-13} ohm $^{-1}$.cm $^{-1}$. It changes with the temperature according to the exponential function $\sigma = \sigma_0 \exp(-E/2kT)$. The results are given in

Table 1. Copper-polychelates of structure I had the highest electrical conductivity. Their special electrical properties are in good agreement with the hypothesis on their network structure. The atoms of monovalent copper form linear bonds: S - Cu - S. X-ray studies showed that the distance between the Cu atoms next to each other -Cu-S-C-S-Cu-equals 5.8 Å. Radicals with π bonds of carbon increase the electrical conductivity of copper polymers. Coplanarity of the polymer chains necessary for the

conjugation of the π bonds of the N-C  atoms and phenylene rings, is due to the network structure. In polymers with structure II, σ decreases whereas E increases in the sequence Co, Zn, Ni. The four sulfur atoms are in the same plane as the metal atoms and the N-C  bonds. The Co-S bonds are tetrahedral. The electrical characteristics of 48 semiconductor

Card 2/6

2

29120
S/020/61/140/005/016/022
B103/B110

Electrical conductivity of ...

polymers like those of inorganic semiconductors, widely depended on the short range order. There are 1 table and 9 references: 8 Soviet and 1 non-Soviet. The reference to English-language publication reads as follows: B. Long, P. Markey, P. G. Wheatley, Acta crystallogr., 7, 140 (1954).

ASSOCIATION: Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University imeni M. V. Lomonosov).
Fiziko-khimicheskiy institut im. L. Ya. Karpova (Physico-chemical Institute imeni L. Ya. Karpov)

SUBMITTED: May 31, 1961

Table 1. Electrical conductivity of chelate polymers.

Legend: (1) σ_{295} ($\text{ohm}^{-1} \cdot \text{cm}^{-1}$); (2) same units as (1); (3) in ev; (4) for polychelates: of Ni with $R = -(\text{CH}_2)_6-$ and $n, n'-(\text{C}_6\text{H}_4)_2-$; (5) of zinc; (6) of cobalt; (7) for cadmium polychelates; (8) for all polychelates;

Card 3/6

43821

8/020/62/147/005/019/032
B106/B186

15.8540

AUTHORS: Terent'yev, A. P., Corresponding Member AS USSR, Rukhadze, Ye. G., Vozzhennikov, V. M., Zvonkova, Z. V., Oboladze, N. S., Mochalina, I. G.

TITLE: Electrical conductivity and activation energy of chelate compounds of the dithiocarbamates and thioamides of pyridine derivatives


PERIODICAL: Akademiya nauk SSSR. Doklady, v. 147, no. 5, 1962, 1094-1097

TEXT: The temperature dependence of the electrical conductivity σ of chelate polymers of the following structures A, B, and C has been determined:

Card 1/6

Electrical conductivity and




S/020/62/147/005/019/032
B106/B186




Card 2/6

Electrical conductivity and...

8/020/62/147/005/019/032
B106/B186

M = Cu, Co, Zn; R =  (1),  (2),  (3).


For comparison, the compounds Г, Д, and the polymer Е (initial products in the synthesis of the above chelate polymers), and the compounds Ж and З (M = Cu, Co, Zn) (monomers of polychelates investigated earlier (Ref. 2; V. M. Vozzhennikov et al, DAN, 143, 5 (1962)) have been studied analogously:



Card 3/6

Electrical conductivity and...

S/020/62/147/005/019/032
B106/B186



Since the compounds investigated are insulators at room temperature, the values of the electrical conductivity have been determined between 330 and 600°K. The values of the activation energy E have been calculated from the temperature dependence of σ (ascent of the straight line in diagrams $(\log \sigma, 1/T)$). Table 1 shows the results. In agreement with the data of Ref. 2, the electrical conductivity depends considerably on the nature of the metal ($Zn < Cu > Ni > Co$). The stability of the complex compounds and the electron affinity of the metals M change in the same order. The fact that the nature of the radicals bound to nitrogen atoms in the compounds X and 3 has practically no effect on the values of σ and E shows that these two quantities are mainly determined by the nature of the chemical bonds and

Card 4/6

Electrical conductivity and...

S/O20/62/147/005/019/032
B106/B186

not by the packing of molecules in the crystal. Activation energies between 1.2 and 1.6 ev were found for the 30 compounds with the grouping $M...S=C-N<$ investigated in Ref. 2 and in the present paper. An activation energy of this order has also been found for $CuSCN$, the simplest semiconductor polymer with the grouping $S-C-N-$. There are 2 figures and 1 table.

ASSOCIATION: Fiziko-khimicheskiy institut im. L. Ya. Karpova (Physico-chemical Institute imeni L. Ya. Karpov); Moskovskiy gosudarstvennyy universitet im. M. V. Lomonosova (Moscow State University imeni M. V. Lomonosov)

SUBMITTED: June 22, 1962

Card 5/6

Electrical conductivity and...

S/020/62/147/005/019/032
B106/B186

Table 1. Legend: I structure; II radical; III metal; IV E, ev; * the first values at $T < 410^\circ\text{K}$, the second at $T > 410^\circ\text{K}$.

Card 6/6

VOZZHENNIKOV, V.M.; ZVONKOVA, Z.V.; RUKHADZE, Ye.G.; ZHDANOV, G.S.;
GLUSHKOVA, V.P.

Electric conductivity and activation energy of some dithiooxamide,
N-substituted dithiocarbamate, and thiocyanate (Cu, Co, Ni) polymers.
Dokl. AN SSSR 143 no.5:1131-1134 Ap '62. (MIRA 15:4)

1. Fiziko-khimicheskiy institut im. L.Ya.Karpova. Predstavleno
akademikom V.A.Karginym.

(Polymers—Electric properties) (Thiocyanates)
(Organometallic compounds)

36975
S/020/62/143/005/013/018
B101/B110


15.8340

AUTHORS: Vozzhennikov, V. M., Zvonkova, Z. V., Rukhadze, Ye. G.,
Zhdanov, G. S., and Glushkova, V. P.

TITLE: Electrical conductivity and activation energy of some
dithio oxamide-, N-substituted dithiocarbamate-, and
thiocyanate (Cu, Co, Ni) polymers

PERIODICAL: Akademiya nauk SSSR. Doklady, v. 143, no. 5, 1962,
1131-1134

TEXT: The electrical conductivity, σ , and the activation energy, E, of
the following polychelates were studied:




(I),

Card (1/5)

Electrical conductivity and ...


S/020/62/143/005/013/018
B101/B110

M = Cu, Ni, or Co;



(II),

R = p-C₆H₄-; p,p-(C₆H₄)₂-; (CH₂)₆; and



(III),

R = p-C₆H₄-; p,p-(C₆H₄)₂-; (CH₂)₆; (CH₂)₂. The following was found:

Card 2/5

S/020/62/143/005/013/018
B101/B110

Electrical conductivity and ...

Polymer	M, R	T, °K	$\sigma_{290^\circ K}$ ohm ⁻¹ ·cm ⁻¹	σ_0 ohm ⁻¹ ·cm ⁻¹	E, ev
I	Cu	290-350	$4 \cdot 10^{-8}$	$1 \cdot 10^4$	0.6
"	Ni	290-500	$2 \cdot 10^{-11}$	$7 \cdot 10^{-1}$	0.6
"	Co	400-500	$7 \cdot 10^{-16}$ *	$1 \cdot 10^{-3}$	0.7
II	p-C ₆ H ₄ -	290-425	$7 \cdot 10^{-11}$	1	0.42; 0.62 } **
"	p,p-(C ₆ H ₄) ₂ -	290-450	$5 \cdot 10^{-13}$	$1 \cdot 10^{-3}$	0.36; 0.60 } **
"	(CH ₂) ₆	310-380	$1 \cdot 10^{-13}$	$2 \cdot 10^{-1}$	0.72
III	p-C ₆ H ₄ -	370-460	$9 \cdot 10^{-12}$	$1 \cdot 10^{-3}$	0.58
"	p,p-(C ₆ H ₄) ₂ -	380-460	$3.5 \cdot 10^{-12}$	$3 \cdot 10^{-3}$	0.62
"	(CH ₂) ₆	400-460	$1.7 \cdot 10^{-12}$	$5 \cdot 10^{-3}$	0.76
"	(CH ₂) ₂	400-460	$8 \cdot 10^{-13}$	$1 \cdot 10^{-3}$	0.74

Card 3/5

S/020/62/143/005/013/018
B101/B110

Electrical conductivity and ...

* extrapolated; ** first figure at $T < 360^{\circ}\text{K}$, second figure at $T > 360^{\circ}\text{K}$; *** $\sigma_{400^{\circ}\text{K}}$. In the compounds II and III the higher σ and the lower E of the phenylene derivatives are explained by the effect of the π bonds which is reduced in the diphenylene group owing to the angle between the ring planes. $\log \sigma$ is a linear function of $1/T$, the straight line has, however, a salient point at 360°K for compounds II. The susceptibility of compounds III is $3.5 \mu\text{B}$. Compounds with the bridge groups $\text{S}=\text{C}=\text{N}-$ have semiconductor properties. Also CuSCH showed a salient point in the curve $\log \sigma$ versus $1/T$: at the beginning, $E_1 = 0.4 \text{ ev}$, after a 2-hr heating at 400°C , $E_2 = 0.1 \text{ ev}$. There are 4 figures and 1 table. The most important English-language reference is: R. M. Hurd, G. De La Mater et al., J. Am. Chem. Soc., 17, 4454 (1960).

ASSOCIATION: Fiziko-khimicheskiy institut im. L. Ya. Karpova
(Physicochemical Institute imeni L. Ya. Karpov)

Card 4/5

Electrical conductivity and ...

S/020/62/143/005/013/018
B101/B110

PRESENTED: December 2, 1961, by V. A. Kargin, Academician

SUBMITTED: November 30, 1961

Card 5/5

VOZZHENNIKOVA, Tamara Fedorovna; KISELEV, I.A., otv. red.;
RODMAN, L.S., red.

[Introduction to the study of fossil peridian algae]
Vvedenie v izuchenie iskopaemykh peridineevykh vodo-
roslei. Moskva, Nauka, 1965. 155 p. (MIRA 18:9)

ALEKSEYEVA, R.Ye.; BETENTINA, O.A.; VOZZHENNIKOVA, T.F.; GRATSIANOVA, R.T.;
DUBATOLOV, V.N.; YLKHIN, Ye.A.; ZAKHAROV, V.A.; IVANOVSKIY, A.B.;
SIDYACHENKO, A.I.; KUL'KOV, N.P.; MYAGKOVA, Ye.I.; GUT, A.N.;
SAKS, V.N.; TESAKOV, Yu.I.; FURSENKO, A.V.; KHOMENOVSKIY, V.V.;
YUFEREV, O.V.

Corresponding Member of the Academy of Sciences of the U.S.S.R.
Boris Sergeevich Sokolov; 1914 - ; on his 50th birthday. Geol.
i. geofiz. no.8:140-147 '64 (MIRA 18:2)

VOZZHENNIKOVA, T.F.

New species of algae from mountain streams of Tajikistan
(Algae novae e fluviis montanis Tadzhikistaniae). Bot.mat.
Otd. spor. rast. 9:73-77 My '53. (MLRA 7:2)
(Tajikistan--Algae) (Algae--Tajikistan)

VOZZHENNIKOVA, T.F.

Algae of the Katun' River and its tributaries in the region
of Chermal health resort. Izv. Sib. otd. AN SSSR no.8:114-125
'58. (MIRA 11:10)

1. Zapadno-Sibirskiy filial AN SSSR.
(Chermal region--Algae)

VOZZHENNIKOVA, T.F.

Systematics of fossil peridiniids. Dokl. AN SSSR 139 no.6:1461-1462 Ag '61. (MIRA 14:8)

1. Institut geologii i geofiziki Sibirskogo otdeleniya Akademii nauk SSSR. Predstavleno akademikom Yu.A. Orlovym.
(Flagellata, Fossil)

VOZZHINSKAYA, V.B.

Distribution of algae near the shores of western Kamchatka.
Okeanologiya 5 no.2:348-353 '65. (MIRA 18:6)

1. Institut okeanologii AN SSSR.

VOZZHINSKAYA, V.B.

~~Macroepiphytes of Cystoseira in the Black Sea. Trudy Inst. okean.~~
23:168-184 '57. (MIRA 11:3)
(Black Sea--Algae) (Epiphytes)

VOZZHINSKAYA, V.B.

Distribution of algae in the littoral of the Gerassevicha
Bay (Sea of Japan). Bot. zhur. 49 no.5:712-714 My '64.
(MIRA 17:8)

1. Institut okeanologii AN SSSR, Moskva.

VOZZHINSKAYA, V.B.

Distribution of marine algae along the open shore of eastern
Sakhalin. Bot. zhur. 44 no.4:545-550 Ap '59. (MIRA 12:10)
(Sakhalin--Algae)

ZINOVA, A.D., VOZZHINSKAYA, V.B.

Finding the red alga *Chordaria magellanica* Kylin in the
northern part of the Pacific Ocean. Bot. mat. Otd. spor.
rast. 13:117-118 '60. (MIRA 13:7)
(Pacific Ocean--Algae)

VOZZHINSKAYA, V.B.

New algae hitherto unknown in Sakhalin. Bot. mat. Otd.
spor. rast. 13:119-128 '60. (MIRA 13:7)
(Sakhalin--Algae)

VOZZHINSKAYA, V.B.

Some endophytes found in the algae of Sakhalin. Bot. mat.
Otd. spor. rast. 13:128-130 '60. (MIRA 13:7)
(Sakhalin--Algae)

VOZZHINSKAYA, V.B.

Floating algae in the western part of the Pacific Ocean. Okeano-
logiia 4 no.5:876-883 '64 (MIRA 18:1)

1. Institut okeanologii AN SSSR.

VOZZHINSKAYA, V.B.

Occurrence of *Stachanovia flagellaris* A. Zin. (Phaeophyceae) in
Sakhalin. Bot.szhur.43 no.3:428-430 Mr. '58. (MIRA 11:5)

1. Institut okeanologii AN SSSR, Moskva.
(Sakhalin--Algae)

VOZZHINSKAYA, V. B.

Dissertation defended in the Botanical Institute imeni V. L. Komarov
for the academic degree of Candidate of Biological Sciences:

"Benthic Macrophytes of Ocean Littorals of Sakhalin Island."

Vestnik Akad Nauk No. 4, 1963, pp. 119-145

SECHAPOVA, T.F.; VOZZHINSKAYA, V.B.

Littoral algae at the western shore of Sakhalin. Trudy Inst. okean.
34:123-146 '60. (MIRA 13:10)
(Sakhalin--Algae)

VOZZHINSKAYA, V.B.

Macrophytes of the shore waters of Sakhalin. Trudy Inst. okean. 69:
330-440 '64. (MIRA 17:9)

10-T-2
 Coking properties of Matsuda boghead. Z.
 VORONINAKA (Khim. Trud. Topl., 1932, 3, 155-160).
 —Treatment with 3% NaOH and 15% HCl is necessary;
 the ash content is thereby lowered from 10.8 to 3.6%.
 Ch. Ana.

The caking properties of Matagan boghead, Z. Vozzhinskaya, Krim. *Trudovoe Topika* 3, 155-160 (1932). Matagan boghead produced a very unsatisfactory coke, but after treatment with 3% NaOH and 15% HCl it gave a very strong coke. This treatment lowered the ash content from 10.8 to 3.6%. End. boghead ash as well as ash of different compn. was added to end. boghead, which was then coked. In all cases a perfectly satisfactory coke was obtained. The introduction of fatty acids did not change the properties of the treated and the untreated coal, coke from the latter remaining unsatisfactory and coke from the former being satisfactory.

A. A. Flochtinkel

1ST AND 2ND CODES

PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

OPEN

MATERIALS INDEX

ASB-51A METALLURGICAL LITERATURE CLASSIFICATION

22

Investigating the light fractions from the tar of Kash-
pira shale. Z. I. Vozzhinskaya. *Khim. Tverdogo Top-
liva* 6, 250-7(1935).--In accordance with the investiga-
tion described in the report, which discloses the presence
of a considerable amt. of aromatic hydrocarbons, the shale
was formed from algae as well as from higher plants. The
light fractions of the shale tar contain in addn. to thio-
phenes also other S and oxygen-S compds., the physikal.
action of which is still not known. Therefore in the
prepn. of medicinal compds., such as thiophene oil, the
above substances must be removed either by condensation
with CH_2O or with glucose, or by means of extrn. with a
HCl soln. of FeCl_3 . A. A. Buchtinsk

3RD CODE

4TH CODE

5TH CODE

6TH CODE

7TH CODE

8TH CODE

9TH CODE

10TH CODE

11TH CODE

12TH CODE

13TH CODE

14TH CODE

15TH CODE

16TH CODE

17TH CODE

18TH CODE

19TH CODE

20TH CODE

21TH CODE

22TH CODE

23TH CODE

24TH CODE

25TH CODE

26TH CODE

27TH CODE

28TH CODE

29TH CODE

30TH CODE

31TH CODE

32TH CODE

33TH CODE

34TH CODE

35TH CODE

36TH CODE

37TH CODE

38TH CODE

39TH CODE

40TH CODE

41TH CODE

42TH CODE

43TH CODE

44TH CODE

45TH CODE

46TH CODE

47TH CODE

48TH CODE

49TH CODE

50TH CODE

51TH CODE

52TH CODE

53TH CODE

54TH CODE

55TH CODE

56TH CODE

57TH CODE

58TH CODE

59TH CODE

60TH CODE

61TH CODE

62TH CODE

63TH CODE

64TH CODE

65TH CODE

66TH CODE

67TH CODE

68TH CODE

69TH CODE

70TH CODE

71TH CODE

72TH CODE

73TH CODE

74TH CODE

75TH CODE

76TH CODE

77TH CODE

78TH CODE

79TH CODE

80TH CODE

81TH CODE

82TH CODE

83TH CODE

84TH CODE

85TH CODE

86TH CODE

87TH CODE

88TH CODE

89TH CODE

90TH CODE

91TH CODE

92TH CODE

93TH CODE

94TH CODE

95TH CODE

96TH CODE

97TH CODE


98TH CODE

99TH CODE

100TH CODE

PROCESSING AND PROPERTY INDEX									
1ST AND 2ND COLUMNS					3RD AND 4TH COLUMNS				
<p>F 5413. VISCOSITY OF LUBRICATING OILS AT LOW TEMPERATURES. 4herdeva, LG, Vozzinskaya, Z. and Fedoseeva, O. (Symp. Visc. Liquids and Colloids, acad. sci. u.s.s.r., 1944, 2, 128-140; j. inst. petrol. 1945, 31, 373A.) Viscosity measurements were carried out in a capillary type viscometer (under a pressure of 20 mm. Hg) down to -35 C. Comparisons were made between lubes derived from various u.s.s.r. crudes (surekhani, gozni, iskin, karachukhuri) and synthetic lubricating oils (no indication is given as to the source or mode of preparation of these latter). The flow characteristics, at low temperatures, of the synthetic oils are much superior to those of the natural ones. Thus, for samples of natural and synthetic lubes having almost the same viscosity at 100 C. and VI, the viscosity at temperatures below 0 C. (but above the setting point of either oil) is considerably less in the case of the synthetic oil. That this is not due solely to the presence of wax is shown by the addition of 1% of paraffin to a synthetic oil. The resultant mixture has a cloud point of 8 C. as against -20 C. for a natural oil of the same viscosity, VI and setting</p>									
<p>458-55A METALLURGICAL LITERATURE CLASSIFICATION</p>									
<p>1000 1000 1000 1000 1000 1000 1000 1000 1000 1000</p>									

point, yet, despite this, its viscosity at low temperatures (below 0° C.) is considerably less than that of the natural oil. Examination of data shows that an increase of 10-12 units in the VI for a synthetic oil has the result of having its viscosity at -30° C. Synthetic oils show a linear relationship between the logarithm of the viscosity and the temperature within the temperature range 0 to -35° C.; in the case of natural oils this relationship loses its linear character at about -15° C. The addition of 2% of paraffin to a synthetic oil causes a break at about this temperature. In the case of two oils with the same VI and viscosity at 100° C. that containing aromatic rings has the greater viscosity at negative temperatures. It is thus shown that, for oils of different origin, the VI, even if coupled with the setting point, gives no indication of the viscosity/temperature relationships below about 0° C., and that the chemical nature of the oil components is the factor determining low temperature flow. The results are presented in tables and graphs.



KON'KOV, A.D.; VPRINTSEV, M.I. (Astrakhan')

Eosinophilic granuloma of a rib. Khirurgiia no.10:147 '64.
(MIRA 18:8)

VRABCOVA, E.

"Songbook of the USSR. 12. Chastushki and Humorous Songs: A Review", P. 45,
(CESKY LID, Vol. 40, No. 1, Feb. 1953, Praha, Czechoslovakia)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 3, No. 12,
Dec. 1954, Uncl.

VRABA, L.; NEUMANN, J.; VRBOVA, J.

(Increasing the economic efficiency of agricultural production by rationalizing the working processes. p. 223)

SBORNIK. RADA ZEMEDELSKA EKONOMIKA. Praha, Czechoslovakia; Vol. 32, No. 4, April, 1959

Monthly list of East European Accession Index (EEAI), Library of Congress,
Vol. 8, No. 7, July, 1959

Unclas

VRABAC, M.

SURNAME (in caps); Given Names

Country: Yugoslavia

Academic Degree: /not given/

Affiliation: Veterinary Station (Veterinarska stanica), Vinkovci

Source: Belgrade, Veterinarski glasnik, No 4, 1961, pp 319-320.

Data: "Enzootic of Furunculosis of the Udder in Cows."

234

VRABCOVA, E.

"An Outline of Russian Popular Artistic Creation of the Soviet Epoch; A
Book Review", P. 46, (CESKY LID, Vol. 40, No. 1, Feb. 1953, Praha,
Czechoslovakia)

SO: Monthly List of East European Accessions, (FEAL), LC, Vol. 3, No. 12,
Dec. 1954, Uncl.

VRABCOVA, E.

"Soviet Studies of Folklore, Our Example", P. 101, (CESKOSLOVENSKA
ETHNOGRAFIE, Vol. 1, No. 2/3, 1953, Praha, Czech.)

SO: Monthly List of East European Accessions, (EEAL), LC, Vol. 4,
No. 3, Mar 1955, Uncl.

DONNER, L.; MACH, O.; VRABCOVA, S.

Electrophoresis of blood platelets. Cas. lek. cesk. 97 no.44:1388-1391
31 Oct 58.

1. II. interni klinika KU v Praze, prednosta prof. Dr. F. Herles.
(LIPOPROTEINS, in blood
electrophoresis in blood platelets (Cz))